

Your Trusted Source
for Industrial Plastics



**Chennai
Polyplast**



Chennai Polyplast

Stockists of premium industrial plastics,
delivering the right material, at the right time,
with uncompromised quality.

ABOUT US

For over 25 years of experience, Chennai Polyplast has been a dependable partner in the industrial plastics marketplace, specialising as a premium stockist of quality plastics and engineered polymer solutions. Based in Chennai, we bridge manufacturers and end-users by maintaining a wide inventory of industrial-grade plastics ready for rapid dispatch, enabling manufacturers, fabricators and engineering operations to move fast and avoid production delays.

Our role as a stockist allows us to:

- Offer broad product availability from multiple trusted brands.
- Deliver just-in-time stock so you can keep your operations lean.
- Provide material expertise and help you select the right polymer for your application.

With our deep market knowledge, regional reach, and decades of experience, Chennai Polyplast supports the manufacturing, processing and assembly industries with the plastics they need, reliably, efficiently and cost-effectively.



OUR MISSION

- To maintain a comprehensive and diverse portfolio of engineering and industrial plastics from best-in-class brands.
- To deliver accurate, timely, and efficient supply-chain support so our clients never face downtime for material shortages.
- To act as a consultative partner, helping you choose the right material grade, size and delivery format for your production.
- To build long-term relationships with manufacturers, fabricators and end-users based on reliability, integrity and responsive service.

OUR VISION

To be the preferred plastics inventory partner for the Indian industrial sector, an organisation trusted for stock availability, expert guidance and rapid supply so our customers always have the material they need when they need it.

OUR GOALS

- Expand our product catalogue continually, keeping pace with emerging polymers and new material grades.
- Keep our stock inventory fresh and regionally optimised, so lead-times are reduced and availability maximised.
- Provide value-added services such as material recommendations, sizing conversions and batch tracking.
- Position ourselves as the logistics-efficient stockist of choice for Chennai, Tamil Nadu and South India.
- Strengthen partnerships with both international polymer suppliers and local fabrication houses to maintain a win-win supply ecosystem.

INDUSTRIES WE SERVE

At Chennai Polyplast, our focus is strongly industry-centric. We serve a wide array of sectors, supplying plastics that meet the demanding requirements of each application. Among them:

Automotive & Components – plastic rods, sheets and sections for machine parts, fixtures, jigs, mould-inserts and fabrication.

Electrical & Electronics – insulating plastics, polymer sheets for PCB supports, cable ducts, panel fabrication and other critical components.

Chemical & Process Industries – materials resistant to aggressive chemicals, high temperatures, abrasion – for use in valves, fixtures, linings and supports.

FMCG & Packaging – plastic sheets, rolls and parts used in the support-frames of packaging machines, conveyors, storage systems.

Textile Manufacturing – plastics for machine parts, bearings, scrapers, guides and other wear-parts in textile production lines.

Agriculture & Horticulture – plastic components for drip-irrigation systems, greenhouse frames, component brackets, protective structures.

Construction & Infrastructure – robust sheets and rods used in form-work, scaffolding supports, structural components, sign-frames and fabrication applications.

Logistics & Warehousing – polymer boards, heavy-duty plastic sheets, rollers and guides used in racking systems, conveyor lines, loading docks.

Our extensive industry knowledge means we understand the demanding environments you operate in: high-cycle production, aggressive chemicals, heat, abrasion and precision tolerances. We make sure you get the plastics that match your operational challenge and have them ready when you need them.

UHMW – PE



Product Description

UHMW-PE (ultra-high molecular weight polyethylene) sheets are a type of plastic that is known for its extremely high wear and abrasion resistance. It is also self-lubricating, has a low coefficient of friction, and is resistant to chemicals and moisture. Our commitment to engineering excellence is evident in every UHMW – PE Sheet we produce. Whether you seek wear resistance, low friction, or chemical resilience, our UHMW – PE Sheets are engineered to exceed your expectations and elevate your industry's performance.

Features

- Excellent Electrical Insulation
- Chemical Resistance
- Moisture Barrier
- High Elongation

Sizes Available

- Thickness available from: 6mm to 150mm
- Sizes available: 1mtr x 2mtr, 1.25 x 3mtr, 0.7mtr x 5mtr
- Rods dia available from: 16mm dia to 400mm dia
- Squares available from: 16mm sq to 150mm sq
- Profiles available as per customer requirement

Mechanical Properties

Performance & Test Conditions	Test Method	Typical Values
Tensile Strength (psi) at 72°F	D638	5,800
Tensile Strength (psi) at 150°F	D638	400
Tensile Modulus (psi)	D638	80,000
Tensile Elongation at Break (%)	D638	300
Flexural Strength at Yield (psi)	D790	3,500
Flexural Modulus (psi)	D790	88,000
Compressive Strength (psi)	D695	3,000
Compressive Modulus (psi)	D695	80,000
Shear Strength (psi)	D732	3,000
Hardness, Shore D	D785	D62-D66
IZOD Notched Impact (ft-lb/in)	D256	No Break

Thermal Performance

Performance & Test Conditions	Test Method	Typical Values
Coefficient of Linear Thermal Expansion (x 10 ⁻⁵ in./in./°F)	D696	11
Heat Deflection Temp (°F / °C)	D648	-
At 66 psi	-	203 / 95
At 264 psi	-	180 / 82
Approx. Melting Temperature (°F / °C)	D3418	275 / 136
Max Operating Temp (°F / °C)	-	180 / 82
Thermal Conductivity	C177	-
(BTU-in/ft ² -hr-°F)	-	2.84
(x 10 ^{-*} cal/cm-sec-°C)	-	10.0
Flammability Rating	UL94	HB

Electrical Performance

Performance & Test Conditions	Test Method	Typical Values
Dielectric Strength (V/mil) short time, 1/8" thick	D149	2300
Dielectric Constant at 1 MHz	D150	2.30-2.35
Dissipation Factor at 1 kHz	D150	0.0005
Surface Resistivity (ohm/square) at 50% RH	D257	>10 ¹⁵
Arc Resistance (sec)	D495	250-350

Note: The technical data and values provided in this catalogue are for reference purposes only. Actual performance and specifications may vary depending on processing conditions and application requirements. The company reserves the right to modify data without prior notice.



Scan me for
More information



+91 72005 67899



chennaipolyplast.com
chennaipolyplast@gmail.com



No: 4, Meenambedu Road, Ambattur Industrial
Estate, Chennai - 600098